

Honors Algorithms — G22.3520-010 Fall 2007 — Problem Set 7

Due: Dec. 12

1. **Divisibility by n .** For $x \in \{0, 1\}^*$, let $I(x)$ be the integer value of x , interpreted as a binary number (with $I(\epsilon) := 0$). Observe that $I(xy) = 2^k I(x) + I(y)$, where $k := |y|$. For integer $n \geq 1$, let

$$B_n := \{x \in \{0, 1\}^* : I(x) \equiv 0 \pmod{n}\}.$$

- (a) Design a DFA that recognizes B_n . Your DFA should have (at most) n states.
 (b) Show that if $n = 2^k$, there is a DFA with $k + 1$ states that recognizes B_n .
 (c) Show that if n is odd, there is no DFA with fewer than n states that recognizes B_n .
2. **A nonregular language.** Let $I(x)$ be defined as in the previous exercise. Show that $S := \{x : I(x) = m^2 \text{ for some } m \in \mathbb{Z}\}$ is not regular.
3. **A funny closure property.** If A is a language, let

$$A_{1/2} := \{x : xy \in A \text{ for some } y \text{ with } |y| = |x|\}.$$

Show that if A is regular, then so is $A_{1/2}$.

4. **Some context-free languages** For $w \in \{0, 1\}^*$, let $N_0(w)$ (resp., $N_1(w)$) be the number of times 0 (resp., 1) appears in w .
- (a) Let $A = \{w \in \{0, 1\}^* : N_0(w) = 2N_1(w)\}$. Give a CFG for A , and a careful proof that your grammar is correct.
 (b) Let $B = \{w \in \{0, 1\}^* : 0.4N_1(w) \leq N_0(w) \leq N_1(w)\}$. Give a PDA for B .
 (c) Let $C = \{x\#y : x, y \in \{0, 1\}^*, x \neq y\}$. Show that C is context free.
5. **Some languages that are not context free.**
- (a) Let A be the language of all strings over $\{a, b, c, d\}$ such that the number of a 's equals the number of b 's, and the number of c 's equals the number of d 's. Show that A is not context free.
 (b) Let $B = \{0^{nm}1^m : n, m \in \mathbb{Z}_{\geq 0}\}$. Show that B is not context free.