## Homework II G22.3350-001 Computational Complexity

## February 15, 2010

You are expected to solve all the problems. Due on Mon, March  $22^{nd}$ . Collaboration is allowed; please mention your collaborators.

1. Show that  $\Sigma_k = NP^{CIRCUIT - SAT_{k-1}}$ .

We define  $L \in \Sigma_k$  if and only if there is a deterministic polynomial time verifier V such that

 $x \in L \iff \exists y_1 \ \forall y_2 \cdots \ Q_k y_k \ V(x, y_1, \cdots, y_k) = 1$ 

where length of  $y_1, y_2, \ldots, y_k$  is bounded by a polynomial in |x|.

- 2. Show that  $P^{PSPACE} = NP^{PSPACE} = PSPACE$ .
  - Show that if PH = PSPACE, then PH collapses to some finite level.
  - Can PH have a complete problem (complete under polynomial time reductions) ?
- 3. (DP-completeness) This problem studies the class DP (D stands for difference). A language  $L \in DP$  if and only if there are languages  $B \in NP$  and  $C \in coNP$  so that  $L = B \cap C$ .
  - The problem SAT-UNSAT is defined as follows: Given pair of Boolean formulae  $(\phi, \psi)$ , decide if  $\phi$  is satisfiable and  $\psi$  is unsatisfiable. Show that this problem is DP-complete (under polynomial time reductions).

- A graph G is in HC-CRITICAL is G is not Hamiltonian but adding any edge to G will make it Hamiltonian. Show that HC-CRITICAL is in DP.
- Show that NP<sup>BPP</sup> ⊆ BPP<sup>NP</sup> (*Hint : First show that a language in* NP<sup>BPP</sup> *is accepted by a polytime NTM that makes a single query to a* BPP *oracle and that too at the end*).
  - Show that if NP  $\subseteq$  BPP, then PH collapses to BPP.
- 5. (NEXP-completeness) Define NEXP =  $\cup_{k=1,2,\dots}$  NTIME $(2^{n^k})$ .

Show that the following problem is NEXP-complete : Given  $\langle M, x, n \rangle$ , consisting of description of a NTM M, input x and an integer n in binary, decide if M has an accepting computation on x in n steps.

- 6. A circuit C is called an *implicit representation* of another circuit  $C^*$  if C takes as input a binary integer i such that  $n + 1 \leq i \leq N$ , and outputs a triple (TYPE, j, k) where
  - Input to  $C^*$  is an *n*-bit string  $x_1x_2...x_n$ .
  - TYPE  $\in$  {AND, OR, NOT} indicates the type of  $i^{th}$  gate in circuit  $C^*$ .
  - $1 \leq j,k \leq N$ .
  - The input of the  $i^{th}$  gate in  $C^*$  is the output of the  $j^{th}$  and  $k^{th}$  gates of  $C^*$  (if TYPE= NOT, then k is ignored. If  $1 \le j, k \le n$ , then the  $j^{th}$  or  $k^{th}$  gate is taken to be an input bit  $x_i$ ).
  - The  $N^{th}$  gate in  $C^*$  is its output gate.

Note that we could have  $N = 2^n$ , the circuit C could be of size  $poly(\log N) = poly(n)$  and still implicitly represent a circuit  $C^*$  of size N (in short, a circuit can implicitly represent another circuit of size exponential in its own size).

Let IMPLICIT CIRCUIT-SAT be the following problem : Given a circuit C that is an implicit representation of circuit  $C^*$ , decide if  $C^*$  is satisfiable. Show that this problem is NEXP-complete (*Hint* : Use the regular structure of the circuit produced in Cook-Levin reduction).

- 7. Show that  $NP^{NP\cap coNP} = NP$ .
  - Generalize this to  $NP^{\Sigma_k \cap \Pi_k} = \Sigma_k$ .

- 8. The problem Graph Consistency (GC) asks, for two given sets A and B of graphs, whether there exists a graph G such that every graph  $g \in A$  is isomorphic to a (not necessarily induced) subgraph of G but each graph  $h \in B$  is not isomorphic to any subgraph of G. Show that GC is in  $\Sigma_2$ .
- 9. Show that if  $\Sigma_k = \Pi_k$  for some k, then  $PH = \Sigma_k$ .